


New Hampshire Statewide AntibioGram 2017
All Sources Other Than Urine
Percent Susceptible

| Gram Negative Organisms | Total Number of Isolates | | | | | | | | | | | | | | | | | | | | | | |
|--|--------------------------|--------------------------|----------------------|-------------------------|------------------------|------------|-----------|-------------|-------------|----------|-----------|-----------|-----------|----------|-----------|---------------|--------------|----------|------------|------------|-------------|----------------------------|-------------------------------|
| | | Ampicillin (Amoxicillin) | Ampicillin/Sulbactam | Piperacillin/Tazobactam | Cefazolin (Cephalexin) | Cefuroxime | Cefoxitin | Ceftriaxone | Ceftazidime | Cefepime | Aztreonam | Ertapenem | Meropenem | Imipenem | Doripenem | Ciprofloxacin | Levofloxacin | Amikacin | Gentamicin | Tobramycin | Tigecycline | Tetracycline (Doxycycline) | Trimethoprim/Sulfamethoxazole |
| <i>Escherichia coli</i> | 2669 | 60 | 65 | 97 | 88 | 91 | 94 | 95 | 95 | 96 | 94 | 100 | 100 | 100 | 100 | 84 | 84 | 100 | 93 | 94 | 100 | 78 | 80 |
| <i>Enterobacter aerogenes (Klebsiella aerogenes)</i> | 129 | / | / | 88 | / | / | / | 84 | 85 | 100 | 92 | 99 | 100 | 91 | 100 | 99 | 99 | 99 | 99 | 99 | 99 | 91 | 100 |
| <i>Enterobacter cloacae</i> | 634 | / | / | 93 | / | / | / | 82 | 88 | 96 | 87 | 98 | 100 | 98 | 100 | 97 | 99 | 100 | 98 | 99 | 97 | 90 | 95 |
| <i>Klebsiella pneumoniae</i> | 858 | / | 89 | 97 | 94 | 92 | 94 | 97 | 97 | 97 | 97 | 100 | 100 | 100 | 100 | 97 | 97 | 99 | 98 | 97 | 98 | 88 | 93 |
| <i>Klebsiella oxytoca</i> | 446 | / | 79 | 97 | 58 | 92 | 98 | 98 | 98 | 97 | 98 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 99 | 99 | 100 | 93 | 96 |
| <i>Proteus mirabilis</i> | 601 | 82 | 91 | 100 | 90 | 97 | 97 | 98 | 99 | 99 | 96 | 100 | 100 | 100 | 100 | 83 | 86 | 100 | 93 | 93 | / | / | 85 |
| <i>Serratia marcescens</i> | 424 | / | / | 86 | / | / | / | 90 | 84 | 100 | 87 | 100 | 100 | 96 | 100 | 97 | 99 | 99 | 99 | 91 | 98 | 9 | 98 |
| <i>Citrobacter freundii</i> | 159 | / | / | 96 | / | / | / | 83 | 87 | 99 | 91 | 99 | 99 | 95 | --- | 97 | 96 | 99 | 95 | 97 | 99 | 86 | 94 |
| <i>Morganella morganii</i> | 186 | / | 6 | 98 | / | / | 88 | 88 | 87 | 98 | 87 | 99 | 100 | / | 95 | 84 | 89 | 99 | 88 | 94 | 10 | 21 | 84 |
| <i>Pseudomonas aeruginosa</i> | 1562 | / | / | 97 | / | / | / | 94 | 92 | 83 | / | / | 95 | 92 | 98 | 87 | 86 | 98 | 89 | 97 | / | / | / |
| <i>Acinetobacter baumannii</i> | 165 | / | 86 | --- | / | / | / | 53 | 94 | 91 | / | / | 96 | --- | --- | 94 | 96 | 98 | 93 | 95 | --- | 88 | 88 |
| <i>Stenotrophomonas maltophilia</i> | 355 | / | / | / | / | / | / | 48 | / | / | / | / | / | / | / | 80 | / | / | / | / | / | / | 97 |
| <i>Haemophilus influenzae</i> | 293 | 72 | --- | / | / | --- | / | 100 | / | / | / | / | --- | / | / | --- | / | / | / | / | / | --- | 76 |

| Gram Positive Organisms | Total Number of Isolates | | | | | | | | | | | | | | | | | |
|---|--------------------------|------------|--------------------------|-----------|----------------------|------------------------|------------|-------------|--------------|--------------|----------------------------|-------------------------------|-------------|-----------------------------|------------|-----------|------------|----------|
| | | Penicillin | Ampicillin (Amoxicillin) | Oxacillin | Ampicillin/Sulbactam | Cefazolin (Cephalexin) | Cefuroxime | Ceftriaxone | Levofloxacin | Moxifloxacin | Tetracycline (Doxycycline) | Trimethoprim/Sulfamethoxazole | Clindamycin | Erythromycin (Azithromycin) | Vancomycin | Linezolid | Daptomycin | Rifampin |
| Methicillin-Sensitive <i>Staphylococcus aureus</i> (MSSA) | 7759 | 13 | / | 100 | 100 | 100 | --- | 100 | 93 | 96 | 95 | 98 | 80 | / | 100 | 100 | 100 | 99 |
| Methicillin-Resistant <i>Staphylococcus aureus</i> (MRSA) | 3598 | / | / | / | / | / | / | 57 | 70 | 94 | 97 | 68 | / | 100 | 100 | 100 | 99 | |
| <i>Enterococcus faecalis</i> | 1100 | 99 | 99 | / | --- | / | / | / | / | / | / | / | / | 98 | 99 | 100 | / | |
| <i>Enterococcus faecium</i> | 156 | 23 | 29 | / | --- | / | / | / | / | / | / | / | / | 39 | 97 | 94 | / | |
| <i>Enterococcus</i> spp. (all hospital data) | 1642 | 91 | 92 | / | --- | / | / | / | / | / | / | / | / | 92 | 99 | 99 | / | |
| Coagulase negative <i>Staphylococcus</i> | 1727 | 8 | / | 52 | 52 | 53 | / | 52 | 69 | 77 | 85 | 69 | 67 | 100 | 100 | 100 | 99 | |
| <i>Streptococcus pneumoniae</i> (non-meningitis) | 445 | 85 | --- | --- | --- | / | 79 | 98 | 98 | 100 | 81 | 80 | 83 | 59 | 100 | 100 | / | |

 Indicates data have been censored because of intrinsic resistance and/or inappropriate clinical use.
 --- Indicates data have been censored because of insufficient sample. CLSI guidelines suggest total isolate counts of less than 30 are exclude

New Hampshire Statewide AntibioGram 2017
All Sources Other Than Urine
Total Number of Susceptible Isolates/Total Tested

| Gram Negative Organisms | Total Number of Isolates | Antibiotics | | | | | | | | | | | | | | | | | | | | | | |
|--|--------------------------|--------------------------|----------------------|-------------------------|------------------------|------------|-----------|-------------|-------------|-----------|-----------|-----------|-----------|-----------|-----------|---------------|--------------|-----------|------------|------------|-------------|----------------------------|-------------------------------|---------|
| | | Ampicillin (Amoxicillin) | Ampicillin/Sulbactam | Piperacillin/Tazobactam | Cefazolin (Cephalexin) | Cefuroxime | Cefoxitin | Ceftriaxone | Ceftazidime | Cefepime | Aztreonam | Ertapenem | Meropenem | Imipenem | Doripenem | Ciprofloxacin | Levofloxacin | Amikacin | Gentamicin | Tobramycin | Tigecycline | Tetracycline (Doxycycline) | Trimethoprim/Sulfamethoxazole | |
| <i>Escherichia coli</i> | 2669 | 1516/2518 | 1513/2337 | 2594/2663 | 2153/2453 | 1639/1811 | 1486/1576 | 2522/2660 | 2016/2113 | 2551/2661 | 1818/1929 | 2531/2534 | 2074/2074 | 1420/1422 | 634/634 | 2223/2645 | 1598/1897 | 1802/1808 | 2396/2570 | 2272/2421 | 1419/1423 | 1124/1446 | 2110/2639 | |
| <i>Enterobacter aerogenes (Klebsiella aerogenes)</i> | 129 | / | / | 115/131 | / | / | / | 112/134 | 104/123 | 135/135 | 93/101 | 134/135 | 105/105 | 63/69 | 49/49 | 133/134 | 97/98 | 109/110 | 134/135 | 131/132 | 87/88 | 82/90 | 129/129 | |
| <i>Enterobacter cloacae</i> | 634 | / | / | 572/614 | / | / | / | 516/628 | 459/633 | 609/633 | 423/487 | 598/613 | 512/514 | 282/289 | 208/209 | 617/633 | 442/447 | 503/505 | 623/634 | 576/583 | 364/375 | 368/408 | 602/631 | |
| <i>Klebsiella pneumoniae</i> | 858 | / | 691/779 | 818/839 | 734/784 | 586/634 | 513/546 | 830/857 | 681/702 | 811/832 | 625/645 | 827/828 | 679/679 | 443/443 | 205/205 | 830/857 | 563/579 | 607/612 | 841/858 | 753/775 | 470/478 | 405/461 | 793/852 | |
| <i>Klebsiella oxytoca</i> | 446 | / | 321/405 | 418/431 | 231/400 | 324/352 | 309/316 | 435/445 | 373/380 | 431/446 | 356/365 | 439/439 | 371/371 | 201/201 | 139/139 | 445/446 | 307/308 | 349/349 | 443/446 | 410/414 | 266/266 | 258/276 | 427/446 | |
| <i>Proteus mirabilis</i> | 601 | 463/568 | 476/525 | 599/601 | 490/546 | 415/428 | 345/355 | 589/601 | 456/462 | 593/601 | 417/434 | 568/568 | 472/472 | 150/150 | 495/150 | 352/594 | 402/409 | 552/404 | 477/511 | / | / | / | 504/593 | |
| <i>Serratia marcescens</i> | 424 | / | / | 324/376 | / | / | / | 378/422 | 280/333 | 403/405 | 285/328 | 404/406 | 354/355 | 158/164 | 108/108 | 413/424 | 282/284 | 334/336 | 420/424 | 353/388 | 245/250 | 21/228 | 404/413 | |
| <i>Citrobacter freundii</i> | 159 | / | / | 152/158 | / | / | / | 131/157 | 119/137 | 158/159 | 126/139 | 137/158 | 138/138 | 75/75 | --- | 154/159 | 109/113 | 135/136 | 151/159 | 147/152 | 110/111 | 91/106 | 150/160 | |
| <i>Morganella morganii</i> | 186 | / | 11/171 | 183/186 | / | / | 112/127 | 163/185 | 141/162 | 183/186 | 135/156 | 184/185 | 155/155 | 62/65 | 155/185 | 116/130 | 158/159 | 182/185 | 162/179 | 169/121 | 12/121 | 26/26 | 153/183 | |
| <i>Pseudomonas aeruginosa</i> | 1562 | / | / | 1507/1556 | / | / | / | 1376/1466 | 1295/1411 | 940/1126 | / | 1203/1263 | 722/789 | 426/435 | 1352/1555 | 954/1113 | 1107/1133 | 1392/1556 | 1367/1407 | / | / | / | / | |
| <i>Acinetobacter baumannii</i> | 165 | / | 130/152 | --- | / | / | / | 86/163 | 140/149 | 135/148 | / | / | / | 128/133 | --- | --- | 154/164 | 101/105 | 111/113 | 153/165 | 146/153 | 82/93 | 145/165 | |
| <i>Stenotrophomonas maltophilia</i> | 355 | / | / | / | / | / | / | 145/304 | / | / | / | / | / | / | / | 225/280 | / | / | / | / | / | / | / | 344/355 |
| <i>Haemophilus influenzae</i> | 293 | 157/219 | -- | / | / | -- | / | 133/133 | / | / | / | / | / | / | / | -- | -- | / | / | / | / | -- | 105/138 | |

| Gram Positive Organisms | Total Number of Isolates | Antibiotics | | | | | | | | | | | | | | | | |
|---|--------------------------|-------------|--------------------------|-----------|----------------------|------------------------|------------|-------------|--------------|--------------|----------------------------|-------------------------------|-------------|-----------------------------|------------|-----------|------------|-----------|
| | | Penicillin | Ampicillin (Amoxicillin) | Oxacillin | Ampicillin/Sulbactam | Cefazolin (Cephalexin) | Cefuroxime | Ceftriaxone | Levofloxacin | Moxifloxacin | Tetracycline (Doxycycline) | Trimethoprim/Sulfamethoxazole | Clindamycin | Erythromycin (Azithromycin) | Vancamycin | Linezolid | Daptomycin | Rifampin |
| Methicillin-Sensitive <i>Staphylococcus aureus</i> (MSSA) | 7759 | 821/6370 | / | 7753/7758 | 6156/6213 | 5870/5928 | --- | 4833/4855 | 7063/7580 | 6034/6316 | 7173/7586 | 7471/7591 | 5871/7325 | 7582/3614 | 6435/6444 | 6337/6350 | 7304/7354 | |
| Methicillin-Resistant <i>Staphylococcus aureus</i> (MRSA) | 3598 | / | / | / | / | / | / | / | 2000/3514 | 1999/2855 | 3307/3520 | 3406/3524 | 2327/3402 | 3614/3614 | 3077/3078 | 3171/3176 | 3408/3439 | |
| <i>Enterococcus faecalis</i> | 1100 | 850/857 | 1091/1100 | / | / | / | / | / | / | / | / | / | / | 1073/1095 | 887/894 | 916/918 | / | |
| <i>Enterococcus faecium</i> | 156 | 30/133 | 45/156 | --- | / | / | / | / | / | / | / | / | / | 61/156 | 128/132 | 112/119 | / | |
| <i>Enterococcus</i> spp. (all hospital data) | 1642 | 1245/1375 | 1504/1641 | --- | / | / | / | / | 580/1104 | 483/925 | 1177/1704 | 989/1283 | 1445/1704 | 1124/1630 | 1088/1630 | 1716/1720 | 1414/1417 | 1373/1377 |
| Coagulase negative <i>Staphylococcus</i> | 1727 | 103/1283 | / | 855/1639 | 609/1170 | / | / | / | / | / | / | / | / | 1512/1636 | 1396/1412 | 1354/1364 | / | |
| <i>Streptococcus pneumoniae</i> (non-meningitis) | 445 | 345/407 | --- | --- | --- | 118/150 | 345/352 | 300/305 | 88/88 | 205/253 | 189/235 | 189/235 | 141/170 | 164/276 | 270/270 | 87/87 | / | |

Indicates data have been censored because of intrinsic resistance and/or inappropriate clinical use.
 --- Indicates data have been censored because of insufficient sample. CLSI guidelines suggest total isolate counts of less than 30 are excluded.



New Hampshire Statewide Antibigram 2017

Urine Only Sources Percent Susceptible

| Gram Negative Organisms | Total Number of Isolates | Antibiotics | | | | | | | | | | | | | | | | | | | | | |
|--|--------------------------|--------------------------|-------------------------|------------------------|------------|-----------|-------------|-------------|----------|-----------|-----------|-----------|----------|-----------|---------------|--------------|----------|------------|------------|-------------|----------------------------|-------------------------------|----------------|
| | | Ampicillin (Amoxicillin) | Piperacillin/Tazobactam | Cefazolin (Cephalexin) | Cefuroxime | Cefoxitin | Ceftriaxone | Ceftazidime | Cefepime | Aztreonam | Ertapenem | Meropenem | Imipenem | Doripenem | Ciprofloxacin | Levofloxacin | Amikacin | Gentamicin | Tobramycin | Tigecycline | Tetracycline (Doxycycline) | Trimethoprim/Sulfamethoxazole | Nitrofurantoin |
| <i>Escherichia coli</i> | 29741 | 65 | 98 | 92 | 94 | 96 | 96 | 96 | 97 | 96 | 100 | 100 | 100 | 100 | 87 | 87 | 99 | 94 | 94 | 100 | 81 | 83 | 98 |
| <i>Enterobacter aerogenes (Klebsiella aerogenes)</i> | 521 | / | 92 | / | / | / | 87 | 89 | 100 | 92 | 99 | 100 | 94 | 100 | 97 | 98 | 100 | 100 | 100 | 99 | 91 | 97 | 19 |
| <i>Enterobacter cloacae</i> | 797 | / | 86 | / | / | / | 77 | 82 | 98 | 83 | 97 | 99 | 97 | 100 | 97 | 98 | 100 | 99 | 99 | 98 | 89 | 91 | 33 |
| <i>Klebsiella pneumoniae</i> | 5152 | / | 98 | 95 | 93 | 95 | 97 | 98 | 98 | 97 | 100 | 100 | 100 | 99 | 97 | 98 | 100 | 99 | 98 | 99 | 87 | 92 | 48 |
| <i>Klebsiella oxytoca</i> | 825 | / | 96 | 50 | 89 | 96 | 96 | 97 | 98 | 96 | 100 | 100 | 100 | 100 | 98 | 99 | 100 | 98 | 98 | 100 | 94 | 95 | 86 |
| <i>Proteus mirabilis</i> | 2282 | 78 | 99 | 91 | 99 | 99 | 98 | 99 | 98 | 97 | 100 | 100 | / | 99 | 76 | 79 | 100 | 89 | 92 | / | / | 79 | / |
| <i>Serratia marcescens</i> | 327 | / | 92 | / | / | / | 90 | 86 | 98 | 91 | 99 | 100 | 96 | 100 | 91 | 95 | 100 | 97 | 90 | 99 | 6 | 98 | / |
| <i>Citrobacter freundii</i> | 782 | / | 93 | / | / | / | 83 | 86 | 99 | 88 | 100 | 100 | 98 | 100 | 94 | 96 | 100 | 96 | 96 | 100 | 86 | 88 | 96 |
| <i>Morganella morganii</i> | 265 | / | 99 | / | / | 84 | 94 | 90 | 99 | 91 | 100 | 100 | / | 99 | 83 | 88 | 100 | 91 | 95 | 4 | 16 | 86 | / |
| <i>Pseudomonas aeruginosa</i> | 1909 | / | 97 | / | / | / | 94 | 92 | 83 | / | / | 95 | 92 | 98 | 81 | 80 | 97 | 87 | 96 | / | / | / | / |
| <i>Acinetobacter baumannii</i> | 89 | / | --- | / | / | / | 42 | 90 | 85 | / | / | 96 | --- | --- | 91 | 96 | 91 | 88 | 93 | --- | 86 | 82 | / |

| Gram Positive Organisms | Total Number of Isolates | Antibiotics | | | | | | | | | | | | | | |
|---|--------------------------|-------------|--------------------------|-----------|------------------------|-------------|--------------|--------------|----------------------------|-------------------------------|-------------|------------|-----------|------------|----------|----------------|
| | | Penicillin | Ampicillin (Amoxicillin) | Oxacillin | Cefazolin (Cephalexin) | Ceftriaxone | Levofloxacin | Moxifloxacin | Tetracycline (Doxycycline) | Trimethoprim/Sulfamethoxazole | Clindamycin | Vancomycin | Linezolid | Daptomycin | Rifampin | Nitrofurantoin |
| Methicillin-Sensitive <i>Staphylococcus aureus</i> (MSSA) | 711 | 18 | / | 100 | 100 | 100 | 93 | 82 | 98 | 98 | 76 | 100 | 100 | 100 | 99 | / |
| Methicillin-Resistant <i>Staphylococcus aureus</i> (MRSA) | 393 | / | / | / | / | / | 21 | 21 | 94 | 94 | 41 | 100 | 100 | 99 | 98 | / |
| <i>Enterococcus faecalis</i> | 2806 | 99 | 99 | / | / | / | / | / | / | / | / | 98 | 99 | 100 | 99 | |
| <i>Enterococcus faecium</i> | 299 | 17 | 20 | / | / | / | / | / | / | / | / | 44 | 97 | 90 | 39 | |
| <i>Enterococcus</i> spp. (all hospital data) | 4625 | 92 | 93 | / | / | / | / | / | / | / | / | 94 | 99 | 99 | 94 | |





Indicates data have been censored because of intrinsic resistance and/or inappropriate clinical use.

--- Indicates data have been censored because of insufficient sample. CLSI guidelines suggest total isolate counts of less than 30 are excluded.

New Hampshire Statewide AntibioGram 2017
Urine Only Sources
Total Number of Susceptible Isolates/Total Tested

| Gram Negative Organisms | Total Number of Isolates | Ampicillin (Amoxicillin) | Piperacillin/Tazobactam | Cefazolin (Cephalexin) | Cefuroxime | Cefoxitin | Ceftriaxone | Ceftazidime | Cefepime | Aztreonam | Ertapenem | Meropenem | Imipenem | Doripenem | Ciprofloxacin | Levofloxacin | Amikacin | Gentamicin | Tobramycin | Tigecycline | Tetracycline (Doxycycline) | Trimethoprim/Sulfamethoxazole | Nitrofurantoin |
|--|--------------------------|--------------------------|-------------------------|------------------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|---------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|----------------------------|-------------------------------|-----------------|
| <i>Escherichia coli</i> | 29741 | 18185/ 28177 | 29241/ 29700 | 27164/ 29682 | 20889/ 22261 | 18437/ 19157 | 28521/ 29719 | 23684/ 24658 | 28858/ 29722 | 23783/ 24710 | 28414/ 28518 | 23888/ 23939 | 15079/ 15122 | 9038/ 9038 | 25951/ 29661 | 19061/ 21787 | 21165/ 21276 | 27817/ 29704 | 25705/ 27221 | 18372/ 18398 | 15075/ 18517 | 23707/ 28558 | 28594/ 29164 |
| <i>Enterobacter aerogenes (Klebsiella aerogenes)</i> | 521 | / | 466/ 506 | / | / | / | 450/ 520 | 377/ 425 | 518/ 520 | 410/ 448 | 512/ 515 | 415/ 415 | 254/ 271 | 174/ 174 | 504/ 521 | 397/ 407 | 398/ 398 | 519/ 521 | 487/ 488 | 323/ 327 | 330/ 361 | 506/ 520 | 99/ 514 |
| <i>Enterobacter cloacae</i> | 797 | / | 671/ 783 | / | / | / | 611/ 792 | 535/ 650 | 782/ 797 | 588/ 711 | 760/ 784 | 666/ 671 | 392/ 406 | 224/ 224 | 774/ 797 | 567/ 581 | 634/ 634 | 789/ 797 | 734/ 743 | 481/ 490 | 450/ 503 | 722/ 794 | 258/ 776 |
| <i>Klebsiella pneumoniae</i> | 5152 | / | 4934/ 5048 | 4912/ 5145 | 3614/ 3906 | 3161/ 3333 | 5011/ 5148 | 4195/ 4299 | 5033/ 5148 | 4155/ 4269 | 4937/ 4956 | 4152/ 4166 | 2619/ 2625 | 1506/ 1516 | 4983/ 5145 | 3629/ 3719 | 3770/ 3788 | 5071/ 5148 | 4653/ 4758 | 3156/ 3190 | 2746/ 3163 | 4748/ 5135 | 2406/ 5044 |
| <i>Klebsiella oxytoca</i> | 825 | / | 763/ 793 | 367/ 734 | 541/ 607 | 503/ 523 | 790/ 823 | 654/ 671 | 806/ 824 | 658/ 683 | 820/ 821 | 623/ 623 | 439/ 439 | 281/ 281 | 807/ 824 | 622/ 629 | 621/ 621 | 812/ 825 | 734/ 749 | 511/ 512 | 504/ 539 | 782/ 824 | 699/ 814 |
| <i>Proteus mirabilis</i> | 2282 | 1696/ 2182 | 2262/ 2275 | 2062/ 2272 | 1673/ 1694 | 1425/ 1444 | 2231/ 2281 | 1922/ 1946 | 2241/ 2281 | 1707/ 1751 | 2155/ 2155 | 1776/ 1776 | / | 669/ 675 | 1729/ 2262 | 1341/ 1691 | 1622/ 1630 | 2037/ 2277 | 1940/ 2110 | / | / | 1789/ 2266 | / |
| <i>Serratia marcescens</i> | 327 | / | 261/ 284 | / | / | / | 292/ 324 | 234/ 273 | 322/ 327 | 218/ 240 | 302/ 306 | 274/ 275 | 123/ 128 | 96/ 96 | 327/ 327 | 222/ 233 | 255/ 256 | 318/ 327 | 279/ 309 | 196/ 197 | 11/ 198 | 319/ 327 | / |
| <i>Citrobacter freundii</i> | 782 | / | 710/ 763 | / | / | / | 652/ 782 | 549/ 642 | 764/ 769 | 577/ 657 | 724/ 726 | 659/ 659 | 360/ 369 | 236/ 236 | 735/ 782 | 531/ 555 | 577/ 577 | 749/ 781 | 689/ 715 | 487/ 489 | 410/ 475 | 669/ 756 | 743/ 778 |
| <i>Morganella morganii</i> | 265 | / | 261/ 264 | / | / | 139/ 166 | 250/ 265 | 192/ 213 | 262/ 265 | 191/ 209 | 265/ 265 | 208/ 209 | / | 83/ 84 | 219/ 264 | 164/ 186 | 229/ 229 | 242/ 265 | 240/ 252 | 5/ 141 | 27/ 168 | 228/ 264 | / |
| <i>Pseudomonas aeruginosa</i> | 1909 | / | 1844/ 1904 | / | / | / | 1747/ 1861 | 1638/ 1771 | 1088/ 1304 | / | / | 1527/ 1614 | 920/ 998 | 460/ 471 | 1544/ 1895 | 1080/ 1347 | 1219/ 1254 | 1649/ 1895 | 1762/ 1833 | / | / | / | / |
| <i>Acinetobacter baumannii</i> | 89 | / | / | / | / | / | 36/ 85 | 60/ 67 | 57/ 67 | / | / | 64/ 67 | / | / | 78/ 86 | 155/ 161 | 49/ 54 | 77/ 88 | 75/ 81 | / | 49/ 57 | 72/ 88 | / |

| Gram Positive Organisms | Total Number of Isolates | Penicillin | Ampicillin (Amoxicillin) | Oxacillin | Cefazolin (Cephalexin) | Ceftriaxone | Levofloxacin | Moxifloxacin | Tetracycline (Doxycycline) | Trimethoprim/Sulfamethoxazole | Clindamycin | Vancomycin | Linezolid | Daptomycin | Rifampin | Nitrofurantoin |
|---|--------------------------|---------------|--------------------------|-------------|------------------------|-------------|--------------|--------------|----------------------------|-------------------------------|-------------|---------------|---------------|---------------|---------------|----------------|
| Methicillin-Sensitive <i>Staphylococcus aureus</i> (MSSA) | 711 | 106/ 590 | / | 680/ 680 | 495/ 495 | 361/ 361 | 551/ 690 | 75/ 92 | 655/ 691 | 680/ 691 | 104/ 137 | 92/ 130 | 692/ 692 | 648/ 650 | 527/ 528 | / |
| Methicillin-Resistant <i>Staphylococcus aureus</i> (MRSA) | 393 | / | / | / | / | / | 77/ 373 | 14/ 68 | 348/ 383 | 350/ 372 | 35/ 85 | 8/ 83 | 384/ 384 | 373/ 374 | 315/ 317 | / |
| <i>Enterococcus faecalis</i> | 2806 | 1965/ 1979 | 2781/ 2803 | / | / | / | / | / | / | / | / | 39/ 378 | 2728/ 2785 | 2611/ 2639 | / | 1007/ 1869 |
| <i>Enterococcus faecium</i> | 299 | 41/ 247 | 57/ 287 | / | / | / | / | / | / | / | 1/ 30 | 131/ 296 | 277/ 285 | / | 39/ 222 | |
| <i>Enterococcus</i> spp. (all hospital data) | 4625 | 3422/ 3732 | 4265/ 4599 | / | / | / | / | / | / | / | 61/ 604 | 4324/ 4589 | 4378/ 4441 | / | 1692/ 3352 | |

 Indicates data have been censored because of intrinsic resistance and/or inappropriate clinical use.
 Indicates data have been censored because of insufficient sample. CLSI guidelines suggest total isolate counts of less than 30 are excluded.